



***birdtour*ASIA**
specialists in asian birding tours

Sarawak and Peninsular Malaysia

1st – 9th November 2014

Leaders: Dave Bakewell and Mike Nelson

Participants: Malcolm and Sue Hillier



Black Oriole, Sarawak

© Mike Nelson/Birdtour Asia

For decades, the Bornean endemic trio of Dulit Partridge, Dulit Frogmouth and Black Oriole could only be viewed as skins in museums. While this is still the case for the first of these, Sarawak is fast becoming a must-visit destination for the other two, and for several other difficult endemics seldom seen by birders. Thus it was with these chiefly in mind that this custom tour was arranged as a follow-on from the scheduled Sabah, Borneo October 2014 tour. Additionally, a few days in Peninsular Malaysia had as their main target another country endemic, Mountain Peacock-Pheasant.


Our first day was spent travelling by road westward from Kota Kinabalu in Sabah, timed so that we could spend the first few hours of daylight in some remnant peatswamp forest, where we quickly and rather easily located our first target – a pair of Hook-billed Bulbuls perched at eye level. A splendid Red-crowned Barbet belted out its monotonous ‘tune’ from a low branch, and other good birds included Fluffy-backed Tit Babbler, Fiery Minivet, Green Iora, Black-winged Flycatcher Shrike, and good views of a pair of Blue-crowned Hanging Parrots perched jewel-like in the early morning sun. Our only disappointment was just catching glimpses of a male Scarlet-

breasted Flowerpecker, before we set off again. Soon we exchanged tarred roads for a dusty logging highway to our base camp from where we would ascend into Black Oriole territory the following morning. In the evening we were royally welcomed by the women of the village, in traditional dress, who spontaneously organized a sing-along session just for us! It was a stunning surprise and one of the more memorable aspects of the trip.

Heavy overnight rain had stopped by the time we set foot on the trail at dawn the following day, but the aftermath was that we spent the day wading up a shallow stream rather than the hoped-for gentle stroll up a grassy trail! Our first rest stop brought us under a fruiting tree which teemed with birds. Pygmy and Everett's White-eyes intermingled in a frenetic fizz of activity, and at least seven Blue-and-white Flycatchers and a single Mugimaki Flycatcher hovered and sallied in their midst. As we ascended, Ruddy Cuckoo Doves flew overhead, and a Hill Blue Flycatcher of the distinctive Bornean endemic race sang quietly from a trailside perch. Wreathed and Rhinoceros Hornbills and Oriental Honey Buzzards passed overhead before we reached the camp. After lunch we ascended higher, and soon connected with a pair of Black Orioles, which called and then sang animatedly, much to our delight. A calling Rail Babbler then drew our attention, but after giving a brief view to Mike, it remained obstinately out of sight. At dusk we tried hard to locate Bornean Frogmouth, but were rewarded only with two distant and intermittently calling birds.



Hook-billed Bulbul © Dave Bakewell




Red-crowned Barbet

After an exhausting day, we all slept well, with the exception of Mike, who suffered insomnia, fortuitously as it turned out, as it meant that he heard a Bornean Frogmouth calling nearby in the small hours! Although his search for it was unsuccessful, he marked the spot, and made a trail which we were able to follow just before dawn. Once in place, we played the call, Sue noticed the hint of a movement on a nearby vine, and there, for a few brief but brilliant seconds, was a female Bornean Frogmouth - thanks Mike! After dawn, we again birded above the camp, and were rewarded with more great views of Black Orioles, which appeared to be quite common once we had reached the magic altitude. Bornean Treepies, Bornean Leafbirds, Bornean Bulbul, Black-bellied Malkohas and several Maroon-breasted Philentomas were other good birds. More frustrating was an encounter with two male Bornean Banded Pittas, both leaving us with better views desired. These desires were fully met during our descent however. We located a calling bird, and before long had it sit up on a log, giving us great views from every possible angle, causing Malcolm to announce his verdict that it was his "best bird ever"! The rest of the daylight hours were spent back in the 4x4s as we drove to our next location. We arrived at dusk just as heavy rain began to fall, but by the time we had finished dinner the skies had cleared, which meant that the possibility of our second endemic frogmouth of the day was still on; Dulit Frogmouth – the big one – in every sense! Just a short time into our search we found first one and then a second bird calling to each other across a road, and we managed to locate both birds sitting low in large trees. Already more than happy, we were then blown away when a juvenile bird flew in and sat above our heads peering down at us curiously. We realized that we were probably observing a family group of two adults and a juvenile – what more could we ask for?!

The following morning we birded along a fairly new logging trail leading uphill which was very birdy in the early hours. Mountain and Bornean Barbets were easily viewed, Bock's Hawk Cuckoos criss-crossed the road in territorial flights, and we had fine views of a singing Whitehead's Spiderhunter. Other submontane species, such as Chestnut-hooded Laughingthrush, Black-capped White-eye, Orange-breasted Trogon, Sunda

Cuckooshrike, Black-and-Crimson Oriole, and Cinereous, Ochraceous and Bornean Bulbuls were much in evidence. A calling Blue-banded Pitta enticed us down a precipitous slope, but we were unable to get views of the forest floor, and consequently were unable to glimpse it. While waiting for the pitta, a pair of Black-throated Wren Babblers came in close, singing incessantly, and an Eyebrowed Wren Babbler called from a gully far below. In the afternoon and evening it rained solidly, making us glad that we had taken the opportunity to see the frogmouths the previous evening.



Bornean Frogmouth and Dulit Frogmouth

On our final morning in Sarawak we had just a few hours before our flight would take us over to Peninsular Malaysia. We spent these in a focused effort to see Blue-banded Pitta, and, despite finding a spot with a little better view of the forest floor, were unable to get more than the briefest of glimpses, despite its extremely close approach. Via two flights, we ended the day enjoying a hot shower and relative luxury in our hotel near Kuala Lumpur.

Our next morning started well, as we watched a pair of Chestnut-naped Forktails foraging along the roadside from our car. Shortly afterwards, it got better, as we feasted our eyes on the main target of this leg of the trip, a rather skittish male and much more confiding female Mountain Peacock Pheasant. The male was obviously intent on asserting his territorial dominance as he shuffled his wings and then moved downslope, calling regularly. A Yellow-rumped Flycatcher appeared briefly overhead, and then it was time to move to our next destination, Fraser's Hill. In late morning the access road was quiet, with no sign or sound of Marbled Wren Babbler or Bamboo Woodpecker, but a party of Black Laughingthrushes provided a nice comparison with the Bare-headed Laughingthrushes seen in Sabah earlier in the scheduled tour, and a Blyth's Hawk Eagle overhead was another highlight. The rest of the day was spent on the roads and trails at the top of the Hill. Despite hearing Rusty-naped Pitta and Malayan Partridge, neither were seen, and there was no sign of our other main target, Malayan Whistling Thrush, either.

After an uninspiring final morning at Fraser's Hill enlivened only by looks at Buff-breasted Babbler and Streaked Wren Babbler, we made our way eastwards to Taman Negara, where we arrived near dusk. A very late walk produced a surprising amount of bird activity, including at least four Blue-winged Pittas calling from the trailside undergrowth, though the light was too poor to make seeing one likely. After dark we were treated to views of a

Blyth's Frogmouth perched overhead, but a Gould's Frogmouth was much less obliging and remained out of sight. We returned to the resort to be greeted by the incongruous sight of a (released!) Sunda Tapir resting by the restaurant!



Bornean Barbet and Whitehead's Spiderhunter



Black Oriole and Bornean Leafbird

We set off the next morning in light rain which happily soon cleared away. Although bird activity was good, we spent little time looking at commoner species, as we were after specific targets. We had heard-only encounters with Malayan Banded Pitta and Rail Babbler, but we did pick up some good birds in the form of Grey-headed Babbler, a ridiculously confiding Striped Wren Babbler, Banded Woodpecker, Spotted Fantail and fantastic repeat views of a female Chestnut-naped Forktail feeding along the trail in front of us. Eventually we were able to track down a Garnet Pitta calling from thick undergrowth and managed less than ideal views in the gloomy light conditions. These deteriorated further as we returned to the HQ, and despite picking up a few new birds, notably Large Green Pigeons, all thoughts of looking for frogmouths were curtailed as prolonged heavy rain set in for the rest of the evening.

On our final morning we finally managed to get the kind of views of Garnet Pitta we were hoping for, and a Large Wren Babbler was another pleasing find. All too soon though, it was time to check out of our lodgings (scoring one final lifer for Malcolm and Sue – a Grey-breasted Spiderhunter – as we did so) and head back to the airport.



Jentink's Squirrel and Mountain Barbet

Systematic Bird List

PELECANIFORMES: Ardeidae

Eastern Great Egret	<i>Casmerodius modestus</i>
Intermediate Egret	<i>Mesophoyx intermedia intermedia</i>
Little Egret	<i>Egretta garzetta</i>
Javan Pond Heron	<i>Ardeola speciosa</i>
Eastern Cattle Egret	<i>Bubulcus coromandus</i>
Striated Heron	<i>Butorides striata</i>
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>
Yellow Bittern	<i>Ixobrychus sinensis</i>
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>

ACCIPITRIFORMES: Accipitridae

Oriental Honey Buzzard	<i>Pernis ptilorhynchus orientalis</i>
Brahminy Kite	<i>Haliastur indus</i>
Crested Serpent Eagle	<i>Spilornis cheela</i>
Black Eagle	<i>Ictinaetus malayensis</i>
Blyth's Hawk Eagle	<i>Nisaetus alboniger</i>
Changeable Hawk Eagle	<i>Nisaetus limnaeetus</i>

GALLIFORMES: Phasianidae

Malaysian Partridge	<i>Arborophila campbelli</i>	e	Heard only
Ferruginous Partridge	<i>Caloperdix oculeus</i>		Heard only
Red-breasted Partridge	<i>Arborophila hyperythra</i>	e	Heard only
Crested Partridge	<i>Rollulus rouloul</i>		Heard only
Mountain Peacock Pheasant	<i>Polyplectron inopinatum</i>	e	
Malayan Peacock Pheasant	<i>Polyplectron malacense</i>	e	Heard only

GRUIFORMES: Rallidae

White-breasted Waterhen	<i>Amauornis phoenicurus</i>
-------------------------	------------------------------

CHARADRIIFORMES: Charadriidae

Common Sandpiper	<i>Actitis hypoleucos</i>
------------------	---------------------------

COLUMBIFORMES: Columbidae

Spotted Dove	<i>Stigmatopelia chinensis</i>
Ruddy Cuckoo Dove	<i>Macropygia emiliana borneensis</i>
Little Cuckoo Dove	<i>Macropygia ruficeps malayana</i>
Asian Emerald Dove	<i>Chalcophaps indica indica</i>
Zebra Dove	<i>Geopelia striata</i>
Little Green Pigeon	<i>Treron olax</i>

Pink-necked Green Pigeon	<i>Treron vernans</i>	
Large Green Pigeon	<i>Treron capellei</i>	
Mountain Imperial Pigeon	<i>Ducula badia</i>	
PSITTACIFORMES: Psittacidae		
Blue-crowned Hanging Parrot	<i>Loriculus galgulus</i>	
CUCULIFORMES: Cuculidae		
Bock's Hawk Cuckoo	<i>Cuculus [sparverioides] bocki</i>	
Moustached Hawk Cuckoo	<i>Cuculus vagans</i>	Heard only
Malaysian Hawk Cuckoo	<i>Cuculus fugax</i>	Heard only
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	Heard only
Violet Cuckoo	<i>Chrysococcyx xanthorhynchus</i>	
Raffles's Malkoha	<i>Rhinortha chlorophaea</i>	
Black-bellied Malkoha	<i>Phaenicophaeus diardi</i>	
Chestnut-breasted Malkoha	<i>Phaenicophaeus curvirostris</i>	
Greater Coucal	<i>Centropus sinensis</i>	Heard only
Lesser Coucal	<i>Centropus bengalensis javanensis</i>	Heard only
STRIGIFORMES: Strigidae		
Brown Boobook	<i>Ninox scutulata scutulata</i>	Heard only
Collared Owlet	<i>Glaucidium brodiei brodiei</i>	Heard only
CAPRIMULGIFORMES: Podargidae		
Dulit Frogmouth	<i>Batrachostomus harterti</i>	e
Gould's Frogmouth	<i>Batrachostomus stellatus</i>	Heard only
Bornean Frogmouth	<i>Batrachostomus mixtus</i>	e
Blyth's Frogmouth	<i>Batrachostomus affinis affinis</i>	
CAPRIMULGIFORMES: Caprimulgidae		
Large-tailed Nightjar	<i>Caprimulgus macrurus salvadorii</i>	Heard only
APODIFORMES: Apodidae		
Glossy Swiftlet	<i>Collocalia esculenta cyanoptila</i>	
Black-nest Swiftlet	<i>Aerodramus maximus</i>	
Edible-nest Swiftlet	<i>Aerodramus fuciphagus germani</i>	
Brown-backed Needletail	<i>Hirundapus giganteus</i>	
Asian Palm Swift	<i>Cypsiurus balasensis</i>	
House Swift	<i>Apus [affinis] nipalensis</i>	
APODIFORMES: Hemiprocnidae		
Grey-rumped Treeswift	<i>Hemiproctus longipennis</i>	
Whiskered Treeswift	<i>Hemiproctus comata comata</i>	
TROGONIFORMES: Trogonidae		
Orange-breasted Trogon	<i>Harpactes oreskios uniformis</i>	
Red-headed Trogon	<i>Harpactes erythrocephalus chaseni</i>	Heard only
CORACIIFORMES: Alcedinidae		
Common Kingfisher	<i>Alcedo atthis bengalensis</i>	
Rufous-collared Kingfisher	<i>Actenoides concretus peristephes</i>	Heard only
Banded Kingfisher	<i>Lacedo pulchella melanops</i>	Heard only
Black-capped Kingfisher	<i>Halcyon pileata</i>	
White-throated Kingfisher	<i>Halcyon smyrnensis perpulchra</i>	
CORACIIFORMES: Meropidae		
Red-bearded Bee-eater	<i>Nyctyornis amictus</i>	
Blue-throated Bee-eater	<i>Merops viridis viridis</i>	
CORACIIFORMES: Coraciidae		
Oriental Dollarbird	<i>Eurystomus orientalis</i>	

BUCEROTIFORMES: Bucerotidae

Rhinoceros Hornbill	<i>Buceros rhinoceros rhinoceros</i>	
Helmeted Hornbill	<i>Rhinoplax vigil</i>	
Bushy-crested Hornbill	<i>Anorrhinus galeritus</i>	
Wreathed Hornbill	<i>Rhyticeros undulatus</i>	

PICIFORMES: Megalaimidae

Fire-tufted Barbet	<i>Psilopogon pyrolophus</i>	
Gold-whiskered Barbet	<i>Megalaima chrysopogon laeta/chrysopsis</i>	Heard only
Red-crowned Barbet	<i>Megalaima rafflesii</i>	
Red-throated Barbet	<i>Megalaima mystacophanos mystacophanos</i>	Heard only
Black-browed Barbet	<i>Megalaima oorti</i>	
Mountain Barbet	<i>Megalaima monticola</i>	e
Yellow-crowned Barbet	<i>Megalaima henricii</i>	Heard only
Blue-eared Barbet	<i>Megalaima australis duvaucelii</i>	
Bornean Barbet	<i>Megalaima eximia</i>	e

PICIFORMES: Picidae

Rufous Woodpecker	<i>Celeus brachyurus squamigularis</i>	Heard only
White-bellied Woodpecker	<i>Dryocopus javensis javensis</i>	
Banded Woodpecker	<i>Picus miniaceus malaccensis</i>	
Crimson-winged Woodpecker	<i>Picus puniceus observandus</i>	
Lesser Yellownappe	<i>Picus chlorolophus chlorolophus</i>	
Common Flameback	<i>Dinopium javanense intermedium</i>	
Bamboo Woodpecker	<i>Gecinulus viridis viridis</i>	
Maroon Woodpecker	<i>Blythipicus rubiginosus</i>	
Great Slaty Woodpecker	<i>Mulleripicus pulverulentus</i>	Heard only

PASSERIFORMES: Eurylaimidae

Banded Broadbill	<i>Eurylaimus javanicus</i>	
Black-and-yellow Broadbill	<i>Eurylaimus ochromalus</i>	Heard only
Dusky Broadbill	<i>Corydon sumatranus</i>	

PASSERIFORMES: Pittidae

Rusty-naped Pitta	<i>Hydrornis oatesi</i>	Heard only
Bornean Banded Pitta	<i>Hydrornis schwaneri</i>	e
Malayan Banded Pitta	<i>Hydrornis irena</i>	e
Blue-banded Pitta	<i>Erythropitta arquata</i>	e
Garnet Pitta	<i>Erythropitta granatina</i>	
Blue-winged Pitta	<i>Pitta moluccensis</i>	Heard only

PASSERIFORMES: Hirundinidae

Barn Swallow	<i>Hirundo rustica gutturalis/mandschurica</i>	
Pacific Swallow	<i>Hirundo tahitica</i>	
Common Sand Martin	<i>Riparia riparia</i>	

PASSERIFORMES: Motacillidae

Grey Wagtail	<i>Motacilla cinerea cinerea</i>	
Paddyfield Pipit	<i>Anthus rufulus</i>	

PASSERIFORMES: Tephrodornithidae

Bar-winged Flycatcher-shrike	<i>Hemipus picatus</i>	
Black-winged Flycatcher-shrike	<i>Hemipus hirundinaceus</i>	
Rufous-winged Philentoma	<i>Philentoma pyrhoptera</i>	
Maroon-breasted Philentoma	<i>Philentoma velata</i>	

PASSERIFORMES: Campephagidae

Sunda Cuckooshrike	<i>Coracina larvata normani</i>	
Malaysian Cuckooshrike	<i>Coracina [javensis] larutensis</i>	
Fiery Minivet	<i>Pericrocotus igneus igneus</i>	
Grey-chinned Minivet	<i>Pericrocotus solaris montanus</i>	

PASSERIFORMES: Pycnonotidae

Black-headed Bulbul	<i>Pycnonotus atriceps atriceps</i>
Black-crested Bulbul	<i>Pycnonotus melanicterus</i>
Bornean Bulbul	<i>Pycnonotus montis</i>
Yellow-vented Bulbul	<i>Pycnonotus goiavier personatus</i>
Olive-winged Bulbul	<i>Pycnonotus plumosus plumosus</i>
Cream-vented Bulbul	<i>Pycnonotus simplex simplex</i>
Red-eyed Bulbul	<i>Pycnonotus brunneus brunneus</i>
Spectacled Bulbul	<i>Pycnonotus erythrophthalmos</i>
Hook-billed Bulbul	<i>Setornis criniger</i>
Finsch's Bulbul	<i>Alophoixus finschii</i>
Ochraceous Bulbul	<i>Alophoixus ochraceus sordidus</i>
Grey-cheeked Bulbul	<i>Alophoixus bres tephrogenys</i>
Yellow-bellied Bulbul	<i>Alophoixus phaeocephalus</i>
Hairy-backed Bulbul	<i>Tricholestes criniger</i>
Buff-vented Bulbul	<i>Iole olivacea</i>
Mountain Bulbul	<i>Ixos maclellandii</i>
Cinereous Bulbul	<i>Hemixos cinereus</i>

e

PASSERIFORMES: Chloropseidae

Greater Green Leafbird	<i>Chloropsis sonnerati</i>
Bornean Leafbird	<i>Chloropsis kinabaluensis</i>
Blue-winged Leafbird	<i>Chloropsis cochinchinensis</i>

e

PASSERIFORMES: Aegithinidae

Green Iora	<i>Aegithina viridissima</i>
------------	------------------------------

PASSERIFORMES: Turdidae

Malayan Whistling Thrush	<i>Myophonus robinsoni</i>
Chestnut-naped Forktail	<i>Enicurus ruficapillus</i>
Siberian Blue Robin	<i>Luscinia cyane</i>

e Heard only

PASSERIFORMES: Cisticolidae

Yellow-bellied Prinia	<i>Prinia flaviventris rafflesi</i>
Dark-necked Tailorbird	<i>Orthotomus atrogularis atrogularis</i>
Rufous-tailed Tailorbird	<i>Orthotomus sericeus hesperius</i>
Ashy Tailorbird	<i>Orthotomus ruficeps cineraceus</i>

PASSERIFORMES: Cettidae

Yellow-breasted Warbler	<i>Seicercus montis floris</i>
Yellow-bellied Warbler	<i>Abroscopus superciliaris sakaorum</i>
Mountain Tailorbird	<i>Phyllergates cucullatus malayanus</i>

Heard only

PASSERIFORMES: Muscicapidae

Oriental Magpie Robin	<i>Copsychus saularis musicus</i>
White-rumped Shama	<i>Copsychus malabaricus</i>
Dark-sided Flycatcher	<i>Muscicapa sibirica</i>
Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>
Mugimaki Flycatcher	<i>Ficedula mugimaki</i>
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>
Little Pied Flycatcher	<i>Ficedula westermanni</i>
Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>
Verditer Flycatcher	<i>Eumyias thalassinus</i>
Hill Blue Flycatcher	<i>Cyornis banyumas coerulifrons</i>
Malaysian Blue Flycatcher	<i>Cyornis turcosus</i>
Rufous-browed Flycatcher	<i>Anthipes solitarius</i>

Heard only

PASSERIFORMES: Stenostiridae

Grey-headed Canary Flycatcher	<i>Culicicapa ceylonensis</i>
-------------------------------	-------------------------------

PASSERIFORMES: Rhipiduridae

White-throated Fantail	<i>Rhipidura albicollis</i>	Heard only
Pied Fantail	<i>Rhipidura javanica</i>	
Spotted Fantail	<i>Rhipidura perlata</i>	

PASSERIFORMES: Monarchidae

Black-naped Monarch	<i>Hypothymis azurea</i>	
Asian Paradise Flycatcher	<i>Terpsiphone paradisi</i>	

PASSERIFORMES: Timaliidae

Buff-breasted Babbler	<i>Pellorneum tickelli</i>	
Temminck's Babbler	<i>Pellorneum pyrrhogenys canicapillus</i>	Heard only
Black-capped Babbler	<i>Pellorneum capistratum</i>	
Abbott's Babbler	<i>Malacocincla abbotti</i>	Heard only
Short-tailed Babbler	<i>Malacocincla malaccensis</i>	Heard only
Moustached Babbler	<i>Malacopteron magnirostre</i>	Heard only
Sooty-capped Babbler	<i>Malacopteron affine</i>	Heard only
Scaly-crowned Babbler	<i>Malacopteron cinereum</i>	
Large Scimitar Babbler	<i>Pomatorhinus hypoleucos</i>	Heard only
Chestnut-backed Scimitar Babbler	<i>Pomatorhinus montanus occidentalis</i>	
Striped Wren Babbler	<i>Kenopia striata</i>	
Black-throated Wren Babbler	<i>Napothera atrigularis</i>	
Streaked Wren Babbler	<i>Napothera brevicaudata</i>	
Eyebrowed Wren Babbler	<i>Napothera epilepidota granti</i>	Heard only
Large Wren Babbler	<i>Napothera macrodactyla</i>	
Pygmy Cupwing	<i>Pnoepyga pusilla</i>	Heard only
Golden Babbler	<i>Stachyridopsis chrysaea</i>	Heard only
Grey-throated Babbler	<i>Stachyris nigriceps</i>	Heard only
Grey-headed Babbler	<i>Stachyris poliocephala</i>	
Chestnut-rumped Babbler	<i>Stachyris maculata</i>	Heard only
Black-throated Babbler	<i>Stachyris nigricollis</i>	
Chestnut-winged Babbler	<i>Stachyris erythroptera</i>	Heard only
Pin-striped Tit Babbler	<i>Macronus gularis</i>	Heard only
Bold-striped Tit Babbler	<i>Macronous bornensis</i>	Heard only
Fluffy-backed Tit-Babbler	<i>Macronus ptilosus</i>	
Black Laughingthrush	<i>Garrulax lugubris</i>	
Chestnut-hooded Laughingthrush	<i>Rhinocichla treacheri treacheri</i>	e
Spectacled Laughingthrush	<i>Rhinocichla mitrata</i>	
Malayan Laughingthrush	<i>Trohalopteron peninsulae</i>	e
Silver-eared Mesia	<i>Leiothrix argentauris</i>	
Brown Fulvetta	<i>Alcippe brunneicauda brunneicauda</i>	Heard only
Mountain Fulvetta	<i>Alcippe peracensis peracensis</i>	
Chestnut-crested Yuhina	<i>Yuhina everetti</i>	e

PASSERIFORMES: Sittidae

Velvet-fronted Nuthatch	<i>Sitta frontalis</i>	
-------------------------	------------------------	--

PASSERIFORMES: Acanthizidae

Golden-bellied Gerygone	<i>Gerygone sulphurea</i>	
-------------------------	---------------------------	--

PASSERIFORMES: Nectariniidae

Ruby-cheeked Sunbird	<i>Chalcoparia singalensis</i>	
Plain Sunbird	<i>Anthreptes simplex</i>	
Olive-backed Sunbird	<i>Cinnyris jugularis ornatus</i>	
Black-throated Sunbird	<i>Aethopyga saturata wrayi</i>	
Crimson Sunbird	<i>Aethopyga siparaja</i>	
Purple-naped Spiderhunter	<i>Hypogramma hypogrammicum</i>	
Little Spiderhunter	<i>Arachnothera longirostra</i>	Heard only
Long-billed Spiderhunter	<i>Arachnothera robusta</i>	
Bornean Spiderhunter	<i>Arachnothera everetti</i>	e
Grey-breasted Spiderhunter	<i>Arachnothera modesta</i>	

Whitehead's Spiderhunter	<i>Arachnothera juliae</i>	e
Streaked Spiderhunter	<i>Arachnothera magna</i>	
PASSERIFORMES: Dicaeidae		
Yellow-rumped Flowerpecker	<i>Prionochilus xanthopygius</i>	e
Scarlet-breasted Flowerpecker	<i>Prionochilus thoracicus</i>	
Orange-bellied Flowerpecker	<i>Dicaeum trigonostigma trigonostigma</i>	
Black-sided Flowerpecker	<i>Dicaeum monticolum</i>	
Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum cruentatum</i>	
PASSERIFORMES: Zosteropidae		
Black-capped White-eye	<i>Zosterops atricapillus</i>	
Everett's White-eye	<i>Zosterops everetti tahanensis</i>	
Pygmy White-eye	<i>Oculocincta squamifrons</i>	e
PASSERIFORMES: Oriolidae		
Dark-throated Oriole	<i>Oriolus xanthonotus</i>	
Black-and-crimson Oriole	<i>Oriolus cruentus</i>	
Black Oriole	<i>Oriolus hosii</i>	e
PASSERIFORMES: Irenidae		
Asian Fairy-bluebird	<i>Irena puella</i>	
PASSERIFORMES: Laniidae		
Brown Shrike	<i>Lanius cristatus</i>	
Tiger Shrike	<i>Lanius tigrinus</i>	Heard only
PASSERIFORMES: Dicruridae		
Sunda [Ashy] Drongo	<i>Dicrurus leucophaeus stigmatops</i>	
Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>	
Greater Racket-tailed Drongo	<i>Dicrurus paradiseus</i>	
PASSERIFORMES: Artamidae		
White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	
PASSERIFORMES: Corvidae		
Crested Jay	<i>Platylophus galericulatus ardesiacus</i>	Heard only
Malayan Black Magpie	<i>Platysmurus leucopterus</i>	Heard only
Bornean Treepie	<i>Dendrocitta cinerascens</i>	e
Southern Jungle Crow	<i>Corvus macrorhynchos</i>	
Slender-billed Crow	<i>Corvus enca compiler</i>	
PASSERIFORMES: Sturnidae		
Asian Glossy Starling	<i>Aplonis panayensis</i>	
Common Hill Myna	<i>Gracula religiosa</i>	
Javan Myna	<i>Acridotheres javanensis</i>	
PASSERIFORMES: Estrildidae		
Dusky Munia	<i>Lonchura fuscans</i>	e
White-rumped Munia	<i>Lonchura striata</i>	
Scaly-breasted Munia	<i>Lonchura punctulata</i>	
Black-headed Munia	<i>Lonchura atricapilla jagori</i>	
PASSERIFORMES: Passeridae		
Eurasian Tree Sparrow	<i>Passer montanus</i>	
PASSERIFORMES: Vireonidae		
Blyth's Shrike Babbler	<i>Pteruthius faeralatus cameroni</i>	
MAMMALS		
Long-tailed Macaque	<i>Macaca fascicularis</i>	
White-handed Gibbon	<i>Hylobates lar</i>	Heard only

Bornean Gibbon	<i>Hylobates muelleri</i>	e	Heard only
Siamang	<i>Symphalangus syndactylus</i>		Heard only
Masked Palm Civet	<i>Paguma larvata</i>		
Black Giant Squirrel	<i>Ratufa bicolor</i>		Heard only
Plantain Squirrel	<i>Callosciurus notatus</i>		
Bornean Mountain Ground Squirrel	<i>Dremomys everetti</i>	e	
Whitehead's Pygmy Squirrel	<i>Exilisciurus whiteheadi</i>	e	
Horse-tailed Squirrel	<i>Sundasciurus hippurus</i>		
Slender Squirrel	<i>Sundasciurus tenuis</i>		
Jentink's Squirrel	<i>Sundasciurus jentinki</i>	e	
Three-striped Ground Squirrel	<i>Lariscus insignis</i>		
Shrew-faced Ground Squirrel	<i>Rhinosciurus laticaudatus</i>		
Yellow-throated Martin	<i>Martes flavigula saba</i>		
Sunda Tapir	<i>Tapirus indicus</i>		



Black Oriole welcoming committee!